
## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



1.9+22 C8Es8



## UNITED STATES DEPARTMENT OF AGRICULTURE PRODUCTION AND MARKETING ADMINISTRATION COTTON BRANCH BAKERSFIELD, CALIFORNIA

VOLUME XIX, No. 5

NOVEMBER 21, 1945

COTTON QUALITY REFERT FOR GINNINGS THROUGH NOVELBER 13, 1945

AMERICAN-EGYPTIAN COTTON (SXP)

RIZONA-CALIFORNIA: GINNINGS OF AMERICAN-EGYPTIAN (SXP) COTTON IN ARIZONA-CALIFORNIA: GINNINGS OF AMERICAN-EGYPTIAN (SXP) COTTON IN ARIZONA-CALIFORNIA THROUGH NOVEMBER 13, 1945 SHOWED A SMALLER PROPORTION OF THE TWO TOP GRADES BUT A LARGER PROPORTION OF THE LONGER STAPLES THAN GINNINGS THROUGH THE SAME DATE IN 1944. ABOUT 41 PERCENT THIS SEASON WAS GRADES I AND 1-1/2 AGAINST 51 PERCENT LAST SEASON. CURRENT GINNINGS SHOW NO GRADES BELOW 3 WITH ALMOST 59 PERCENT GRADES 2 AND 2-1/2. LAST SEASON THROUGH MID-NOVEMBER, THE RANGE WAS THROUGH GRADE 4 WITH ONLY ABOUT 35 PERCENT GRADES 2 AND 2-1/2. STAPLES 1-1/2" AND LONGER CONSTITUTED APPROXIMATELY 73 PERCENT OF THIS YEAR'S CROP COMPARED WITH ABOUT 63 PERCENT A YEAR AGO.

NEW MEXICO-DISTRICT 6 OF TEXAS: AMERICAN-EGYPTIAN (SXP) GINNINGS IN NEW MEXICO - DISTRICT 6 OF TEXAS: THROUGH NOVEMBER 13 SHOWED A LARGER PROPORTION OF GRADES I AND 1-1/2 THIS SEASON THAN LAST, ABOUT 90 PERCENT AGAINST 83 PERCENT A YEAR AGO. APPROXIMATELY 10 PERCENT OF CURRENT GINNINGS WAS GRADE 2 WHILE LAST YEAR ABOUT 16 PERCENT WAS OF THAT GRADE. THROUGH MID-NOVEMBER, 1945, ALL STAPLES WERE 1-1/2". IN THE CORRESPONDING PERIOD LAST YEAR, ALMOST, 98 PERCENT WAS OF THIS LENGTH AND THE REMAINDER WAS 1-7/16".

VOLUME XIX, No. 5

								·				
ESTIMATED GRADE AND STAPLE LENGTH OF AMERICAN-EGYPTIAN (SXP) COTTON GINNED	NEW MEXICO & DIST. 6 OF TEXAS	SEASON THRU NOVEMBER 13	1945	PCT.	31.3 59.1 9.6			100.0		0.00.		100.0
			1944	PCT.	7.946.7 3.6.5 1.6.1			0.001		2.5		100.0
		NOVEMBER 1 - 13	1945	PCT.	39.5 59.9 .6			100.0		0.001		100.0
			1944	PCT.	29.3 29.3 29.9			0.001		2.8		100.0
	AR I ZON N-CAL I FORNI A	THRU R 13	1945	PCT.	36.1 54.7 4.4	•		100.0		26.8		0.001
		SEASON THRU NOVEMBER 13	1944	PCT.	25.2	2.1.0		100.00		34.2	<b>ω</b> •	0.001
		3ER .	1945	PCT.	2000	2,		100.0		22.1	<b></b>	0.001
		NOVEMBER 1 - 13	1944	PCT.	22.62.9	5.6		0.001		29.0 69.0	N.	0 • 00 1
ESTIMATED GRADE AND	GRÁDE AND LENGTH			GRADE	1-1/2	3-1/2	4-1/2	ALL GRADES	LENGTH (INCHES)	1-9/32 AND SHORTER. 1-5/16 AND 1-11/32. 1-3/8 AND 1-13/32. 1-7/16 AND 1-15/32.	1-9/16 AND LONGER	ALL LENGTHS

\*LESS THAN 0.05 PERCENT.